

# UPGRADE FABRIC SELECTOR

TRANSFORMING SPACE INTO

# POSSIBILITIES

# **ALTAI-ARGENT-DYNASTY**

## HIGH PERFORMANCE WOVENS

#### **SPECIFICATIONS**

**ALTAI** 

WIDTH: 54"

TOTAL WEIGHT: 16 oz. per linear yard
CONTENT: 47% Post-Industrial
Recycled Polyester,

27% Olefin,

26% Post-Consumer Recycled Polyester **ARGENT** 

55"

13.14 oz. per linear yard

54% Polyolefin, 32% Polyester, 9% Post-Industrial Recycled Polyester, 5% Post-Consumer Recycled Polyester **DYNASTY** 

54"

11 oz. per linear yard 52% Post-Industrial Recycled Polyester, 48% Polyester

FINISH: Stain Repellent

BACKING: Acrylic

INSTALLATION: Non-Reversible / Random Match

**PERFORMANCE** 

FLAMMABILITY: Passes ASTM E-84 Class A

Tested in Accordance with CAN/ULC-S102
Tested in Accordance with (EN13501): B-s1,d0 rating

ΔΙ ΤΔΙ

COLORFASTNESS TO LIGHT: (AATCC Method 16): Class 5 (40 hours)

ARGENT, DYNASTY

(AATCC Method 16): Class 4 (40 hours)

**QUALITY STANDARDS** 

ENVIRONMENTAL: Created with No PVC, No Heavy Metals or Formaldehyde,

No ODSs, No Phthalates, No VOCs

SUSTAINABLE MATERIALS: Produced Using Recycled Content

CLEANING CODE: WS & BC - Water/Solvent & Bleach Cleanable

LEED CONTRIBUTION: Can Contribute Towards LEED Points


#### INSTALLATION

Swatch color may differ from production due to dye-lot variations. Lighting within a space may also alter color appearances.

Shown on Front: Dynasty 135-09



ARGENT 196-01



**DYNASTY 135-11** 





The assigned numerical reading and other tests referenced in this text are not intended to reflect hazards presented by this or any other material under actual fire cognitions. Consult an architect or fire safety engineer for information on applicable building codes and reduction of fire hazards, including the use of sprinklers.

## **ARGENT**



## **DYNASTY**

