



UPGRADE VINYL

OPERABLE WALLS & ACCORDION PARTITIONS



Transforming Space Into
POSSIBILITIES

White Creek



Ash, KCW-1



Jacobean , KCW-2



Mocha , KCW-3



Prairie , KCW-4



Rustic , KCW-5



Sedona , KCW-6



Slate, KCW-7



Vintage, KCW-8



Willow, KCW-9

Lineage




Origin, KCU-1




Heir, KCU-2




Heritage, KCU-3



Generation, KCU-4




Pedigree, KCU-5



Descent, KCU-6

Destiny



Illusion, KCU-7



Mottled, KCU-8




Opalescence, KCU-9



Enchanted, KCU-10



Melded, KCU-11



Fascination, KCU-12

Galerie



Earnest, KCU-13



Baroness, KCU-14



Poplar, KCU-15



Hope, KCU-16



Expectation, KCU-17



Smoke, KCU-18

Koroseal®

3875 Embassy Parkway
Fairlawn, OH 44333
855.753.5474 • koroseal.com

PATTERNS

White Creek • Lineage
Destiny • Galerie

	US UNITS	METRIC UNITS
Total Weight	20.0 oz. PLY 13.3 oz. PSY	620 g PLM 451 g PSM
Roll Width	52" – 54"	132 cm – 137 cm
Backing	Woven	
Tensile (Minimum)	50 x 55 lb _f	222 x 245 N
Tear (Minimum)	25 x 25 lb _f	111 x 111 N
Federal Spec	CCC-W-408D, Type II	
WA Spec.	WA-101, Type II	
ASTM F-793	Category V, Type II	
Fire Testing	NFPA 101® Life Safety Code® NFPA 255 (ASTM E-84, CAN S102M) Tunnel Test ¹ Class A Rating Flame Spread – 10 Smoke Developed – 5 NFPA 286 Corner Burn Test ² Meets requirements for Flame Spread, Smoke Developed and Flashover	
CE Certification	EU Classification in accordance with EN 15102:2007 + A1:2011	
Indoor Air Quality offices	California 01350 – Meets emission requirements for schools and	
Repeat	Vertical	N/A
	Horizontal	N/A
	Nomimal Pattern Width	51"
	Match Information	Reverse Hang, Random Match – all patterns except: Lineage: Random Match, Non-Reverse Hang

1. When applied to GRC board with A-848-B adhesive
2. When applied to 5/8" Type-X-Gypsum board with A-848-B adhesive

Kwik-Wall™ standard and upgrade vinyls are supplied by Koroseal®. Both Kwik-Wall and Koroseal support sustainable construction practices offering **option e™** wallcoverings that meet the same characteristics of Type II vinyl but made from recycled materials that contribute to LEED® MR 4 & EQ 4. Contact Kwik-Wall for availability and pricing impacts.

Actual color provided may vary from swatch shown due to dye-lot variations. Room lighting may also change the color's appearance.

All of our Koroseal standard and upgrade vinyl finishes contain mildew and staph-resistant additives in the vinyl and plastisol. This provides the wallcovering with resistance to the growth of mildew and bacteria, including mold, fungi, pink stain and black fungal stain.



4650 Industrial Ave., Springfield, IL 62703, (800) 280-5945 • kwik-wall.com



USGBC® and the related logo are trademarks owned by the U.S. Green Building Council® and are used with permission.